



NOTE: BREAK ALL CORENERS WITH 0.015" (0.38 MM) RADIUS UNLESS OTHERWISE NOTED. STANDARD TOLERANCES TO APPLY UNLESS OTHERWISE SPECIFIED.

CUSTOMER PART No.	CUSTOMER WOLVERINE STD	WLV DIE No. WS11878	REV No. 0
DESCRIPTION 1 x 1 x 3/16 AS ANGLE	QUOTE No. 24-1438-2	PROPOSAL No. S-19958	



SCALE 1:1

WALL THICKNESS .188 ± .007

DATE	REV	DESCRIPTION	BY
EST. AREA	.339	IN. ²	EST. AREA 218.709
EST. WT.	.397	LBS/FT.	EST. WT. .591
EST. PER.	3.847	IN.	EST. PER. 97.714
OUT PER.		IN.	OUT PER.
C.C.D.	1.402	IN.	C.C.D. 35.611
FACTOR 10	FINISH M/F	ALLOY & TEMP.	6061
CKD BY	SCALE 2:1	DWN BY B.A.	DATE 7/1/24

WOLVERINE
 2100 MARKET STREET
 DECATUR, AL 35816
 800-633-3972

THIS DRAWING IS NOT NECESSARILY A COPY OF YOUR ORIGINAL. PLEASE APPROVE DIMENSIONS AND TOLERANCES INDICATED. WOLVERINE ASSUMES NO RESPONSIBILITY EITHER TECHNICAL OR LEGAL FOR HAVING THIS SHAPE MADE. THE CUSTOMER AGREES TO FULLY PROTECT WOLVERINE FROM CLAIMS OF OTHERS RESULTING FROM THIS SHAPE.

SIGNED: _____ **DATE:** _____
PRINT NAME: _____